

L Number	Hits	Search Text	DB	Time stamp
-	3870	709/230-237.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 16:17
-	2159	709/230-237.ccls. AND @ad<19990730	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 16:18
-	231	(709/230-237.ccls. AND @ad<19990730) AND timeout	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 16:18
-	15	((709/230-237.ccls. AND @ad<19990730) AND timeout) AND status ADJ signal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 16:19
-	18044812	@ad<19990730	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 18:22
-	519	@ad<19990730 AND send ADJ error ADJ message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 16:28
-	70	(@ad<19990730 AND send ADJ error ADJ message) AND timeout	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 16:29
-	25	((@ad<19990730 AND send ADJ error ADJ message) AND timeout) AND 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 16:30
-	140	@ad<19990730 AND ACK with timeout	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 16:41
-	97	@ad<19990730 AND ACK with timeout AND predetermined	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 12:53
-	5	@ad<19990730 AND (send ADJ request) AND (send WITH (signal error) SAME fault ADJ condition)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 16:52
-	0	@ad<19990730 AND (send ADJ request WITH access) AND (send WITH (signal error) SAME fault ADJ condition)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 16:52

-	0	@ad<19990730 AND (send ADJ request WITH access) AND ((predefined predetermined) ADJ fault ADJ condition)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 16:54
-	72	@ad<19990730 AND (send ADJ request ADJ access)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 16:55
-	594	@ad<19990730 AND (send ADJ ACK)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 07:57
-	21	@ad<19990730 AND (send ADJ ACK SAME timeout)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 17:27
-	594	@ad<19990730 AND (send ADJ ACK) SAME (resend ACJ ACK)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 17:28
-	1	@ad<19990730 AND (send ADJ ACK) SAME (resend ADJ ACK)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 17:28
-	9	@ad<19990730 AND ((resend retransmit) ADJ ACK)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 18:17
-	52	@ad<19990730 AND (three ADJ way ADJ handshake)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:23
-	138	@ad<19990730 AND ("2 ACK" "two ACK")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 18:02
-	101	@ad<19990730 AND (ACK near sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 18:14
-	92	@ad<19990730 AND (((send transmit) ADJ ACK) SAME (receive ADJ ACK))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 18:05
-	2	@ad<19990730 AND (sender ADJ sends ADJ ACK)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 18:13

-	3	@ad<19990730 AND (transmitter ADJ sends ADJ ACK)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 18:13
-	1218	@ad<19990730 AND (ACK near receiv\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 10:02
-	4	@ad<19990730 AND (ACK near receiv\$4) WITH (responds ADJ ACK)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 18:15
-	14	@ad<19990730 AND (more ADJ ACK)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 07:59
-	5550	@ad<19990730 AND ((transmission communication) ADJ protocol).ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 18:23
-	28	((@ad<19990730 AND ((transmission communication) ADJ protocol).ab,ti.) AND ACK AND timeout AND (predetermined predefined))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 18:39
-	18	((@ad<19990730 AND (receiv\$4 ADJ second ADJ (ACK acknowledgement))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 18:40
-	5	@ad<19990730 AND (receiv\$4 ADJ second ADJ (ACK acknowledgement)) AND ((transmit\$5 sends) ADJ first ADJ (ACK acknowledgement))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 18:41
-	18766	@ad<19990730 AND (ACK acknowledgement)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 07:59
-	3424	@ad<19990730 AND ((send transmit) WITH receiv\$4 WITH (ACK acknowledgement))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 08:14
-	68	@ad<19990730 AND ((send transmit) WITH receiv\$4 WITH (ACK acknowledgement)) SAME timeout	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 08:15
-	7	@ad<19990730 AND (((acknowledgement ACK) near receiv\$4) WITH (send NEAR2 ready))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 10:04

-	398	@ad<19990730 AND (transaction WITH acknowledgement)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 10:58
-	0	@ad<19990730 AND (request ADJ data) and (authorize) and ((acknowledge confirm) ADJ receipt\$4) AND ((acknowledge confirm) ADJ payment)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 10:34
-	42	@ad<19990730 AND (request ADJ data) and (authorize) and ((acknowledge confirm) ADJ receipt\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 10:35
-	0	@ad<19990730 AND (request ADJ data) SAME (authorize) SAME ((acknowledge confirm) ADJ receipt\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 10:37
-	205	@ad<19990730 AND (confirm WITH (credit ADJ card))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 10:38
-	36	@ad<19990730 AND (confirm WITH (credit ADJ card)) AND (authorize)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 10:40
-	8	@ad<19990730 AND (user WITH sends WITH "credit card information")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 10:41
-	3335	@ad<19990730 AND ((confirm acknowledge) WITH (received reception) WITH (data goods services))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 10:46
-	154	@ad<19990730 AND ((user buyer) WITH (confirm acknowledge) WITH (received reception) WITH (data goods services))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 10:49
-	125	@ad<19990730 AND ((confirm acknowledge) ADJ (received reception) ADJ (data goods services))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 10:49
-	4	@ad<19990730 AND ((user buyer) WITH (confirm acknowledge) ADJ (received reception) ADJ (data goods services))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 10:50
-	36	@ad<19990730 AND (receiver ADJ sends ADJ (ACK acknowledgement))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 11:00

-	2	@ad<19990730 AND (sender ADJ sends ADJ (ACK acknowledgement))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 11:16
-	126	@ad<19990730 AND (credit ADJ card ADJ authorization) AND 705/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 11:29
-	33	@ad<19990730 AND (credit ADJ card WITH authoriz\$5) SAME clearinghouse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 12:49
-	66	("4200770"   "4218582"   "4272810"   "4405829"   "4424414"   "4463387"   "4528643"   "4731840"   "4757534"   "4782529"   "4803725"   "4809327"   "4825306"   "4868687"   "4868877"   "4878246"   "4879747"   "4905163"   "4926479"   "4944006"   "4995082"   "5005200"   "5130792"   "5159634"   "5214702"   "5220604"   "5224163"   "5224166"   "5260788"   "5261002"   "5276901"   "5315658"   "5319705"   "5347580"   "5355302"   "5369705"   "5371794"   "5412717"   "5420927"   "5497421"   "5509071"   "5519778"   "5537475"   "5557541"   "5581479"   "5588060"   "5592664"   "5604804"   "5606617"   "5636139"   "5646999"   "5666420"   "5673316"   "5675734"   "5710887"   "5796841"   "5799088"   "5862223"   "5864620"   "5892900"   "5960086"   "5982891"   "6009177"   "6064989"   "6192473"   "6226618").PN.	USPAT	2003/11/13 12:28
-	265	@ad<19990730 AND (subscri\$7) AND (acknowledge WITH (reception received) WITH data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 12:44
-	63	@ad<19990730 AND (subscri\$7) AND (acknowledge ADJ (reception received) WITH data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 12:47
-	2	@ad<19990730 AND (sent WITH receipt WITH (user buyer) WITH email)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 12:59
-	1	@ad<19990730 AND (sent WITH invoice WITH (user buyer) WITH email)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 12:51
-	0	@ad<19990730 AND (sends ADJ (ACK acknowledgement)) WITH repeat WITH (receives ADJ (ACK acknowledgement))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 12:54
-	24	@ad<19990730 AND (sends ADJ (ACK acknowledgement)) WITH (receives ADJ (ACK acknowledgement))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 12:58

-	62	@ad<19990730 AND (after ADJ5 receives ADJ (ACK acknowledgement))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 12:58
-	5	@ad<19990730 AND ((acknowledge confirm) ADJ (reception received) ADJ (ACK acknowledgement))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:00
-	0	@ad<19990730 AND (three ADJ way ADJ acknowledgement)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:50
-	3	@ad<19990730 AND (two ADJ way ADJ acknowledgement)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:38
-	1	@ad<19990730 AND (two ADJ way ADJ ack)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:38
-	80	@ad<19990730 AND (increase WITH ACK)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:45
-	3	@ad<19990730 AND (increase WITH number ADJ ACK)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:46
-	1	@ad<19990730 AND (detect ADJ second ADJ (ACK acknowledgement))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 15:10
-	12	@ad<19990730 AND (receive\$1 ADJ second ADJ (ACK acknowledgement))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 14:29
-	4	4405829.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 14:13
-	1283	@ad<19990730 AND ((clearing ADJ house) clearinghouse)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 14:30
-	18	@ad<19990730 AND ((clearing ADJ house) clearinghouse) AND intertrust.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 17:15

-	112	@ad<19990730 AND (placing ADJ hold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 15:12
-	1	@ad<19990730 AND (placing ADJ hold WITH funds)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 17:07
-	234	@ad<19990730 AND (resend ADJ request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 18:04
-	3	@ad<19990730 AND (resend ADJ request WITH timeout)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 17:25
-	5	@ad<19990730 AND (retransmit ADJ request WITH timeout)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 17:12
-	0	@ad<19990730 AND (timeout WITH sends ADJ status ADJ signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 17:16
-	2	@ad<19990730 AND (timeout WITH sends ADJ status)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 17:16
-	17	@ad<19990730 AND (acknowledge ADJ acknowledgements)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 17:31
-	2	6404739.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 17:28
-	0	@ad<19990730 AND (secure ADJ transaction) SAME timeout	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 17:31
-	15	@ad<19990730 AND (send ADJ status ADJ signal WITH error)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 17:41
-	3	@ad<19990730 AND (send ADJ status ADJ signal WITH fault)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 17:42

-	2	@ad<19990730 AND (send ADJ error ADJ message WITH timeout)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 17:43
-	12	@ad<19990730 AND (send ADJ error ADJ message WITH fault)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 17:45
-	2	6279826.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 17:45
-	529	@ad<19990730 AND (limit\$3 WITH retransmi\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 17:53
-	158	@ad<19990730 AND (limit\$3 WITH number WITH retransmi\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 17:54
-	30	@ad<19990730 AND (limit\$3 WITH number WITH retransmi\$7 WITH (status error))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 17:56
-	0	@ad<19990730 AND (limit\$3 WITH retransmi\$7 WITH (status ADJ signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 17:56
-	1	@ad<19990730 AND (limit\$3 WITH retransmi\$7 WITH (status WITH sent))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 17:58
-	1	@ad<19990730 AND (limit\$3 WITH number WITH retransmi\$7 WITH (inform))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 17:58
-	9	@ad<19990730 AND (sends ADJ error ADJ message WITH remote)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 18:15
-	203	@ad<19990730 AND (error ADJ message WITH remote)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 18:01
-	11	@ad<19990730 AND (error ADJ message ADJ sent WITH remote)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 18:02



-	4	@ad<19990730 AND (fault ADJ occurs WITH ((error ADJ sent) (sends ADJ error)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 18:03
-	0	@ad<19990730 AND (final ADJ message WITH retransmission)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 18:04
-	2	@ad<19990730 AND (too ADJ many ADJ retransmission)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 18:06
-	3	("4766596"   "4800488"   "4866707").PN.	USPAT	2003/11/13 18:09
-	0	@ad<19990730 AND (sends ADJ status ADJ message WITH remote WITH (fault error))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 18:15
-	0	@ad<19990730 AND (sends ADJ error ADJ message WITH remote WITH (fault))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 18:16
-	0	@ad<19990730 AND (sends ADJ error ADJ message WITH remote WITH (error ADJ occur))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 18:16
-	2	@ad<19990730 AND (sends ADJ error ADJ message WITH timeout)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 18:17
-	28	@ad<19990730 AND (sends ADJ timeout ADJ message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 08:15
-	12899	@ad<19990730 AND (error ADJ message WTI Hchecksum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 08:41
-	21498	@ad<19990730 AND (error ADJ message WTIH checksum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 08:28
-	10138	@ad<19990730 AND (send ADJ error ADJ message WTIH checksum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 08:28
-	4	@ad<19990730 AND (send ADJ error ADJ message WITH checksum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 08:52

-	166	@ad<19990730 AND (checksum.ti.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 08:41
-	8	@ad<19990730 AND (send ADJ error WITH checksum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 09:43
-	3	@ad<19990730 AND (request WITH authorization ADJ execute)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 09:44
-	122	@ad<19990730 AND (request WITH execute ADJ transaction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 09:46
-	11	@ad<19990730 AND (request ADJ execute ADJ transaction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 09:47